

Product Specification for acer Intel Core i5 11400 8 GB/ 1000 GB HDD/ Windows 10 Professional

| Specification | Sub-Spec | Value |
|------------------|--|-------------------------|
| Processor | Processor Make | Intel |
| | Processor Generation | 11 |
| | Number of Cores per Processor | 6 |
| | Processor Base Frequency (GHz) | 2.6 |
| | Processor Description | Intel Core i5 |
| | Processor Number | Intel Core i5 11400 |
| | Out of Band Management | NA |
| | Cache (MB) | 12 |
| Motherboard | Chipset Series | Intel H Series |
| | Expansion Slots (PCIe x 1) (Number) | 1 |
| | Chipset Number | Intel H510 |
| | Expansion Slots (PCIe x 4) (Number) | 0 |
| | Expansion Slots (PCIe x 16) (Number) | 1 |
| | Expansion Slots (PCI) (Number) | 0 |
| | Expansion Slots (M Dot 2) | 1 |
| Graphics | Graphics Type | Integrated |
| | Graphic Card Description | NA |
| | Size of Memory in Case of Dedicated Graphic Card (GB) | 0 |
| | Size of VRAM in case of Integrated Graphics (MB) | 0 |
| Operating System | Operating System (Factory Pre-Loaded) | Windows 10 Professional |
| | Recovery Image Media | NA |
| | OS Certification | Windows |
| Memory | Type of RAM | DDR4 |
| | RAM Size (GB) | 8 |
| | RAM Speed (MHz) | 2666 |
| | Total Numbers of DIMM Slots Available | 2 |
| | Number of DIMM Slots populated | 1 |
| | RAM Expandability up to(using spare DIMM Slots in GB) | 64 |
| Storage | Total Number of Internal Bays available | 2 |
| | Number of 2 point 5 inches internal Bays | 1 |
| | Number of 3 point 5 inches Internal Bays | 1 |
| | Number of 2 point 5 Inches Internal Bays Populated | 0 |
| | Number of 3 point 5 Inches Internal Bays Populated | 0 |
| | Type of Drives used to populate the Internal Bays | HDD,SSD |
| | Number of Internal Bays populated with HDD | 1 |
| | Capacity of each HDD (GB) | 1000 @7200 rpm |
| | Total HDD Capacity (GB) | 1000 |
| | Number of Internal Bays populated with SSD | 1 |
| | Capacity of each SSD (GB) | 256 |
| | Total SSD Capacity (GB) | 256 |
| | Number of Internal Bays populated with SSHD | 0 |
| | Capacity of each SSHD (GB) | NA |
| | Total SSHD Capacity in addition to 8 GB Flash (GB) | 0 |
| | Number of Internal Bays populated with SSED | 0 |
| | Capacity of each SSED (GB) | 0 |
| | Total SSED Capacity (GB) | 0 |

| | | |
|----------------------|--|--|
| | Optane Memory (GB) | 0 |
| Cabinet | Cabinet Form Factor | Tower (13.1 to 26 Litres) |
| | Cabinet Volume (Litres) | 26 |
| | External Bays (Number) | 1 |
| | Optical Drive | N/A |
| | Internal Speaker | No |
| | Audio-in | Yes |
| | Audio-out | Yes |
| | Headphone out | Yes |
| | Microphone-in | Yes |
| Connectivity | Wireless Connectivity | No |
| | If Yes, Type of Wireless Connectivity | NA |
| | Number of Ethernet Ports | 1 |
| | Type of Ethernet Ports | 10/100/1000 on board Integrated Gigabit Port |
| | Bluetooth Connectivity | No |
| | If Yes, Version of Bluetooth Available | 0 |
| Ports | Number of USB Version 2 Point 0 Ports | 4 |
| | Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports | 4 |
| | Number of USB Version 3 point 1, Gen 2 Ports | 0 |
| | Number of USB Type C Ports | 0 |
| | Number of Serial Ports | 0 |
| | Number of Parallel Ports | 0 |
| | Number of VGA Ports | 1 |
| | Number of HDMI Ports | 1 |
| | Number of DP Ports | 0 |
| Monitor | Model of the Monitor | N A |
| | Monitor Technology | IPS |
| | LED Backlit Monitor Size (INCHES) | 21.5 |
| | Monitor Resolution (PIXELS) | 1920x1080 |
| | TCO Certification for Monitor | NA |
| | Number of VGA Ports in the Monitor | 1 |
| | Number of HDMI Ports in the Monitor | 1 |
| | Number of Display Ports in the Monitor | 0 |
| | Availability of Webcam integrated with Monitor | No |
| | If Yes, Resolution of Webcam | NA |
| | Availability of Speakers integrated with Monitor | No |
| | If Yes, Number of Speakers available | 0 |
| Power | Power Supply Capacity (Watt) | 250 |
| | Minimum Power Efficiency Range (%) | 85 - 89 |
| Certification | ROHS Compliance | Yes |
| | BEE / Energy Star for the given Model | Yes |
| Input Devices | Mouse Connectivity | Wired |
| | Type of Mouse | Optical Scroll |
| | Keyboard Connectivity | Wired |
| | Type of Keyboard | Standard |
| Operating Conditions | Minimum Operating Temperature | 10 |
| | Maximum Operating Temperature | 40 |
| | Minimum Operating Humidity (%RH) | 10 |

